EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S61	7	(text adj2 speech with emotion).ti,ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/27 23:57
S62	1	determin$3 with (unavailable or "not available" or "not present") near10 (computer or PC or terminal) same send$3 adj5 (email or mail) and (@AD <"20010928" or @RLAD <"20010928")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 19:56
S66	0	determin$3 near10 ("context of" or "status of") near10 (user or client or recipient or receiver) same (send$3 or dispatch$3 or deliver$3) near10 (message or notification) adj10 (device or computer) and (@AD <"20010928" or @RLAD <"20010928")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 20:05
S67	0	determin$3 near10 ("context of" or "status of") near10 (user or client or recipient or receiver) and (send$3 or dispatch$3 or deliver$3) near10 (message or notification) with (device or computer) and (@AD <"20010928" or @RLAD <"20010928")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 20:06
S68	923	determin$3 near10 (context or status or condition) near10 (user or client or recipient or receiver) and (send$3 or dispatch$3 or deliver$3) near10 (message or notification) with (device or computer) and (@AD <"20010928" or @RLAD <"20010928")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 20:07
S69	59	(determin$3 near10 (context or status or condition) near10 (user or client or recipient or receiver)) same ((send$3 or dispatch$3 or deliver$3) near10 (message or notification) with (device or computer)) and (@AD <"20010928" or @RLAD <"20010928")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 20:07
S70	12	(determin$3 near10 (context or status or condition) near10 (user or client or recipient or receiver)) same ((send$3 or dispatch$3 or deliver$3) near10 (message or notification) with (device or computer)) with (accord$3 or based or correspond$3 or us$3) adj5 (context or status or condition) and S69	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 23:39

EAST Search History

S71	0	("if" with (send$3 or notif$4) adj10 (text or mail or email)) same ("if" with (send$3 or notif$4) adj10 (voicemail or voice or phone or telephon$)) and (@AD <"20010928" or @RLAD <"20010928")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 23:42
S72	1	("if" with (text or mail or email)) same ("if" with (voicemail or voice or phone or telephon$)) and (@AD <"20010928" or @RLAD <"20010928")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 23:44
S73	1	("if" with (text or mail or email)) and ("if" with (voicemail or voice or phone or telephon$)) and (@AD <"20010928" or @RLAD <"20010928")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 23:45
S74	1047	(("if" or otherwise or "when" or else) with (text or mail or email)) and (("if" or otherwise or "when" or else) with (voicemail or voice or phone or telephon$)) and (@AD <"20010928" or @RLAD <"20010928")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/06 00:15
S75	35	(("if" or otherwise or "when" or else) with send$3 adj10 (text or mail or email)) and (("if" or otherwise or "when" or else) with send$3 adj10 (voicemail or voice or phone or telephon$)) and (@AD <"20010928" or @RLAD <"20010928")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 23:48
S76	34	(("if" or otherwise or "when" or else) with send$3 adj10 (text or mail or email)) same (("if" or otherwise or "when" or else) with send$3 adj10 (voicemail or voice or phone or telephon$)) and (@AD <"20010928" or @RLAD <"20010928")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/06 00:08
S77	5	S76 and (based or accord$3 or correspond$3 or depend$3) near10 (context or status)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 23:49
S78	5	S76 and (based or accord$4 or correspond$3 or depend$3) near10 (context or status)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 23:49

EAST Search History

S79	0	(("if" or otherwise or "when" or else) with send$3 adj10 (text or mail or email)) same (("if" or otherwise or "when" or else) with send$3 adj10 (voicemail or voice or phone or telephon$)) same (status or context) and (@AD <"20010928" or @RLAD <"20010928")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 23:52
S80	0	(("if" or "when") with send$3 adj10 (text or mail or email)) same (("if" or "when") with (call or voicemail or voice or phone or telephon$)) and (@AD <"20010928" or @RLAD <"20010928")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/06 00:09
S81	1	(("if" or "when") with (text or mail or email)) same (("if" or "when") with (call or voicemail or voice or phone or telephon$)) and (@AD <"20010928" or @RLAD <"20010928")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/06 00:10
S82	256	send$3 adj10 ((text or mail or email) and (call or voicemail or voice or phone or telephon$)) with (based or accord$4 or depend$3 or correspond$3 or "if") and (@AD <"20010928" or @RLAD <"20010928")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/06 00:14
S83	0	send$3 adj10 ((text or mail or email) and (call or voicemail or voice or phone or telephon$)) with (based or accord$4 or depend$3 or correspond$3 or "if") near10 (status or context) and (@AD <"20010928" or @RLAD <"20010928")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/06 00:13
S84	1	send$3 adj10 ((text or mail or email) and (call or voicemail or voice or phone or telephon$)) with (based or accord$4 or depend$3 or correspond$3 or "if") with (status or context) and (@AD <"20010928" or @RLAD <"20010928")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/06 00:13
S85	220	send$3 adj10 ((text or mail or email) same (call or voicemail or voice or phone or telephon$)) with (based or accord$4 or depend$3 or correspond$3 or "if") and (@AD <"20010928" or @RLAD <"20010928")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/06 00:15

S86	29	S74 and S85	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/06 00:15